EZ-THERAPYLIGHT

PRODUCTS
BROCHURES

LED RED LIGHT THERAPY PANEL

Your Professional R&D Red Light Devices Manufacturer

Web: therapy-light.com





EZ-TherapyLight

HOUSEHOLD PRO SERIES
LED RED LIGHT THERAPY

The design of EZ A series panel is aim to make some change to the market and meet most of peoples demands.
From the out look design, it is made with Aluminum housing material, significately reduce the weight and more easy to carry. Private Mold design of the heatsink make it unique and outstanding.
From inner design of the panel, which is evenly mixed with 5 wavelegnth, CE certified High quality led driver make sure a 2 years warranty guarantee.
From Technology view, smart time free adjust from 1-30mins, three level dimmer setting, find the most comfortable pattern for your skin. 1-999hz pulse adjust, meet special needed person. Remote timer included free your hands.

- wireles modular support
- Red & Near Infrared
- LCD Screen
- Remote Controller
- 5 wavelengths
- Aluminum Housing














⚠ Please wear glasses or close eyes when enjoying therapy.

EZ A SERIES



SR-A60


Size	11.8″ x 8.5″ x 2.16″
Net weight	2.95Kg
Material	Aluminum
LED QTY	60PCS
Single led Power	5W
Power	300W
Actual power	110W
Lens angle	30°
Working voltage	AC100-240V
Wavelength	630nm, 660nm ,810nm, 830nm, 850nm
Power density	>188mw/cm2 @ 6″ ; >100mw/cm2 @ 12″
EMF	0.05μT@ 6″ , 0uT@9″
Pulse	0-999 adjust
Dimmer	3 Level
Timer	0-30mins
Warranty	2 Years
Lifespan	> 50000hrs
Inner packing size	39.5*28*14.5cm
Single unit weight	3.7Kg



SR-A80

Size	13.4″ x 11″ x2.16″
Net weight	7.83 lbs
Material	Aluminum
LED QTY	80PCS
Single led Power	5W
Power	400W
Actual power	213W
Lens angle	30°
Working voltage	AC100-240V
Wavelength	630nm, 660nm ,810nm, 830nm, 850nm
Power density	>189mw/cm2 @ 6″ ; >102mw/cm2 @ 12″
EMF	0.05μT@ 6″ , 0uT@9″
Pulse	0-999 adjust
Dimmer	3 Level
Timer	0-30mins
Warranty	2 Years
Lifespan	> 50000hrs
Inner packing size	43*34*15cm
Single unit weight	4.6Kg

EZ A SERIES



SR-A160


Size	25.6" x 11" x2.16"
Net weight	5.65 Kg=12.46 lbs
Material	Aluminum
LED QTY	160PCS
Single led Power	5W
Power	800W
Actual power	290W
Lens angle	30°
Working voltage	AC100-240V
Wavelength	630nm, 660nm ,810nm, 830nm, 850nm
Power density	>189mw/cm2 @ 6" ; >103mw/cm2 @ 12"
EMF	0.05μT@ 6" , 0uT@9"
Pulse	0-999 adjust
Dimmer	3 Level
Timer	0-30mins
Warranty	2 Years
Lifespan	> 50000hrs
Inner packing size	72*40*12cm
Single unit weight	7.1Kg



SR-A240

Size	37.5" x 11" x2.16"
Net weight	7.5 Kg=16.53 lbs
Material	Aluminum
LED QTY	240PCS
Single led Power	5W
Power	1200W
Actual power	400W
Lens angle	30°
Working voltage	AC100-240V
Wavelength	630nm, 660nm ,810nm, 830nm, 850nm
Power density	>189mw/cm2 @ 6" ; >104mw/cm2 @ 12"
EMF	0.05μT@ 6" , 0uT@9"
Pulse	0-999 adjust
Dimmer	3 Level
Timer	0-30mins
Warranty	2 Years
Lifespan	> 50000hrs
Inner packing size	101*40*14cm
Single unit weight	9.1Kg

EZ A SERIES



SR-A320


Size	49.2" x 11" x2.16"
Net weight	11Kg=24.25 lbs
Material	Aluminum
LED QTY	320PCS
Single led Power	5W
Power	1600W
Actual power	550W
Lens angle	30°
Working voltage	AC100-240V
Wavelength	630nm, 660nm ,810nm, 830nm, 850nm
Power density	>189mw/cm2 @ 6" ; >104mw/cm2 @ 12"
EMF	0.05μT@ 6" , 0uT@9"
Pulse	0-999 adjust
Dimmer	3 Level
Timer	0-30mins
Warranty	2 Years
Lifespan	> 50000hrs
Inner packing size	135*42*15cm
Single unit weight	12.8Kg



SR-A400

Size	61" x 11" x2.16"
Net weight	14 Kg=30.86 lbs
Material	Aluminum
LED QTY	400PCS
Single led Power	5W
Power	2000W
Actual power	680W
Lens angle	30°
Working voltage	AC100-240V
Wavelength	630nm, 660nm ,810nm, 830nm, 850nm
Power density	>189mw/cm2 @ 6" ; >104mw/cm2 @ 12"
EMF	0.05μT@ 6" , 0uT@9"
Pulse	0-999 adjust
Dimmer	3 Level
Timer	0-30mins
Warranty	2 Years
Lifespan	> 50000hrs
Inner packing size	166*42*15cm
Single unit weight	16.2Kg

Parameter comparison chart



300w	400w	800w	1200w	1600w	2000w
110w	213w	290w	400w	550w	680w
60 PCS	80 PCS	160 PCS	240 PCS	320 PCS	400 PCS
Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
11.8"x 8.5"x2.16"	13.4"x 11"x2.16"	25.6"x11"x2.16"	37.5"x11"x2.16"	49.2"x11"x2.16"	61"x11"x2.16"
3.7KG	4.6KG	5.65KG	7.5KG	11KG	14KG

PRODUCT ACCESSORIES



- 1x goggle
- 4x rubber foot
- 6x screws
- 1x pulley system
- 1x remote control
- 1x adjustable door hook
- 1x screw driver
- 1x socket wrench
- 1x power cable
- 2x hanging kits
- 1x daisy chain

EZ COB SERIES
The Frist Original Factory

Design COB Chip Red Light Therapy Panel

A High Power Series Red Light Therapy Series from Desk top to Full body, meet multiple usage scenarios.

Best joint and acne pain relief device, over 200mw/cm2 irradiance at 6" distance.

7 Default Modes
+1 Customized Mode

6 Spectra

All 3535 5W LEDs


Aluminum Housing

Voice Control

Touch Key



Household Pro Series











⚠ Please wear glasses or close eyes when enjoying therapy.

EZ COB SERIES

SR-XD10



Size	8.26" x 8.26" x2.6"
Net weight	2.1 Kg=4.63 lbs
Material	Iron
LED QTY	20PCS
Single Led Power	3W
Single COB Power	200w
Power	260W
Actual power	110W
Lens angle	60°
Working voltage	AC100-240V
Wavelength	630nm,660nm, 850nm
Power density	>144mw/cm2 @ 6" ; >54mw/cm2 @ 12"
EMF	0.05μT@ 6" , 0uT@9"
Timer	0-30mins
Warranty	2 Years
Lifespan	> 50000hrs
Inner packing size	34*28*15cm
Single unit weight	3.2Kg

SR-XD20



Size	14.6" x 8.26" x2.6"
Net weight	3.5 Kg=7.72 lbs
Material	Iron
LED QTY	42PCS
Single Led Power	3W
Single COB Power	200w
Power	526W
Actual power	220W
Lens angle	60°
Working voltage	AC100-240V
Wavelength	630nm,660nm, 850nm
Power density	>146mw/cm2 @ 6" ; >61mw/cm2 @ 12"
EMF	0.05μT@ 6" , 0uT@9"
Timer	0-30mins
Warranty	2 Years
Lifespan	> 50000hrs
Inner packing size	50*30*44cm
Single unit weight	4.6Kg

EZ COB SERIES



SR-XD40


Size	28.7" x 8.26" x2.6"
Net weight	6.3 Kg=13.89 lbs
Material	Iron
LED QTY	84PCS
Single Led Power	3W
Single COB Power	200w
Power	1052W
Actual power	435W
Lens angle	60°
Working voltage	AC100-240V
Wavelength	630nm,660nm, 850nm
Power density	>145mw/cm2 @ 6" ; >61mw/cm2 @ 12"
EMF	0.05μT@ 6" , 0uT@9"
Timer	0-30mins
Warranty	2 Years
Lifespan	> 50000hrs
Inner packing size	87*30*17cm
Single unit weight	8.3Kg



SR-XD60

Size	42.5" x 8.26" x2.6"
Net weight	19.84 lbs
Material	Iron
LED QTY	126PCS
Single Led Power	3W
Single COB Power	200w
Power	1578W
Actual power	670W
Lens angle	60°
Working voltage	AC100-240V
Wavelength	630nm,660nm, 850nm
Power density	>145mw/cm2 @ 6" ; >60mw/cm2 @ 12"
EMF	0.05μT@ 6" , 0uT@9"
Timer	0-30mins
Warranty	2 Years
Lifespan	> 50000hrs
Inner packing size	122*32*18cm
Single unit weight	12.2Kg

Parameter comparison chart



260W	526W	1052W	1578W
110W	220W	435W	670W
20 PCS	42PCS	84 PCS	126 PCS
Iron	Iron	Iron	Iron
8.26″ x 8.26″ x2.6″	14.6”x 8.26”x2.6”	28.7”x 8.26”x2.6”	42.5”x 8.26”x2.6”
3.2KG	4.6KG	8.3KG	12.2KG


PRODUCT ACCESSORIES



- 1x goggle
- 4x rubber foot
- 6x screws
- 1x pulley system
- 1x remote control
- 1x adjustable door hook
- 1x screw driver
- 1x socket wrench
- 1x power cable
- 2x hanging kits
- 1x daisy chain

Household Pro Series











⚠ Please wear glasses or close eyes when enjoying therapy.

EZ S SERIES

SR-XS300



Size	15" x 8.6" x2.6"
Net weight	7.87 lbs
Material	Iron
LED QTY	Dual Chip
Single Led Power	60PCS
Single COB Power	5W
Power	300W
Actual power	95W
Lens angle	30°
Working voltage	AC100-240V
Wavelength	660nm, 850nm
Power density	>70mw/cm2 @ 6" ; >58mw/cm2 @ 12"
EMF	0.05μT@ 6" , 0uT@9"
Timer	0-30mins
Warranty	2 Years
Lifespan	> 50000hrs
Inner packing size	45*28*19cm
Single unit weight	4.2Kg

SR-S300



Size	10.2" x 8.26" x2.6"
Net weight	4.96 lbs
Material	Iron
LED QTY	Dual Chip
Single Led Power	60PCS
Single COB Power	5W
Power	300W
Actual power	89W
Lens angle	30°
Working voltage	AC100-240V
Wavelength	660nm, 850nm
Power density	>100mw/cm2 @ 6" ; >82mw/cm2 @ 12"
EMF	0.05μT@ 6" , 0uT@9"
Timer	0-30mins
Warranty	2 Years
Lifespan	> 50000hrs
Inner packing size	33*32*15cm
Single unit weight	3.2Kg

EZ S SERIES



SR-S600

Size	35.5" x 8.26" x2.6"
Net weight	12.79 lbs
Material	Iron
LED QTY	Dual Chip
Single Led Power	200PCS
Single COB Power	3W
Power	600W
Actual power	260W
Lens angle	30°
Working voltage	AC100-240V
Wavelength	660nm, 850nm
Power density	>90mw/cm2 @ 6" ; >70mw/cm2 @ 12"
EMF	0.05μT@ 6" , 0uT@9"
Timer	0-30mins
Warranty	2 Years
Lifespan	> 50000hrs
Inner packing size	101*18*15cm
Single unit weight	7.5Kg




SR-S900

Size	35.5" x11.8" x2.6"
Net weight	10.35 Kg=22.82 lbs
Material	Iron
LED QTY	Dual Chip
Single Led Power	300PCS
Single COB Power	3W
Power	900W
Actual power	465W
Lens angle	30°
Working voltage	AC100-240V
Wavelength	660nm, 850nm
Power density	>110mw/cm2 @ 6" ; >90mw/cm2 @ 12"
EMF	0.05μT@ 6" , 0uT@9"
Timer	0-30mins
Warranty	2 Years
Lifespan	> 50000hrs
Inner packing size	101*42*16cm
Single unit weight	10.5Kg


EZ
LIGHT THERAPY PANEL BRACKET

Image when you sit on your sofa and turn on the red light therapy panel, free to doing the treatment at home.
A bracket will be necessary to hold your panel and adjust to suitable angle.

- Grounded
- Vertical
- Horizontal
- Universal















⚠ Please wear glasses or close eyes when enjoying therapy.

EZ BRACKET SERIES



CP033

Size	118*80*120cm
Net Weight	8kg
Material	Iron
Height Adjust Range	12"-47" (30-120cm)
Install Orientation	Vertical to horizontal free adjust
Max Loading weight	15kg
Support Model	S series
Packing Size	126*18*18cm
Packing Weight	8.5kg



New

Size	68*80*82cm
Net Weight	23KG
Material	Iron
Height Adjust Range	32"-67"
Adjust Method	Auto with Remote control
Install Orientation	Vertical & horizontal
Max Loading weight	50kg
Support Model	A series
Packing Size	98x34x25cm
Packing Weight	25KG



CP149

Size	85*65*150cm
Net Weight	10kg
Material	Iron
Height Adjust Range	32"-55" (80-140cm)
Install Orientation	Vertical to horizontal free adjust
Adjust Method	Manual
Max Loading weight	20kg
Support Model	SUNSRED S series
Packing Size	86*27*22mm
Packing Weight	13kg

EZ BRACKET SERIES




CP156

Size	80*45*115cm
Net Weight	16KG
Material	Iron
Height Adjust Range	42"-55" (106-140cm)
Adjust Method	Manual Handle
Install Orientation	Vertical & horizontal
Max Loading weight	50kg
Support Model	A series
Packing Size	104x42x15cm
Packing Weight	18KG



CP051

Size	37*25*20cm
Net Weight	3.5kg
Material	Iron
Length & Wide	22*6.5cm
Max Loading weight	30kg
Support Model	SR-B600, SR-B1000
Packing Size	43*36*12cm
Packing Weight	4KG



CP147

Size	375*250*200mm
Net Weight	3.5kg
Material	Iron
Wide Adjust Range	20-30cm
Height Adjust Range	6-7cm
Max Loading weight	30kg
Support Model	both S series and A series
Packing Size	43*38*12cm
Packing Weight	5KG

LED MASK Display















Multiple Design Pattern



Wearing Steps



Step 1



Step 2



Step 3

SR-M4



Material	Food Grade Silicon
Silicone color	White & Black
Size	30 x 21 x 0.5cm= 11.8" x 8.27" x 0.2"
Net Weight	220g=0.485 lbs
Controller	138g=0.304 lbs
LED Qty	240PCS
Power	5-10w
Waterproof level	IPX5
Rechargeable	Yes
Battery Capacity	3000mAh
Working voltage	DC 5V
Full charge	4-5hrs
Discharge	1.5-2hrs
Lifespan	> 50000hrs
Wavelength	460nm，590nm，630nm，850nm
Irradiance	red 40mw/cm2; blue 25mw/cm2; Yellow 31mw/cm2;
EMF	0uT
Inner packing size	38*28*8cm / 0.95Kg
Outer carton size	52*50*40cm / 20.5KG (20pcs/carton)

SR-N4



Material	Food Grade Silicon
Silicone color	White & Black
Size	11.8" x 8.27" x 0.2"
Net Weight	220g=0.485 lbs
Controller	138g=0.304 lbs
LED Qty	240PCS
Power	5-10w
Waterproof level	IPX5
Rechargeable	Yes
Battery Capacity	3000mAh
Working voltage	DC 5V
Full charge	4-5hrs
Discharge	1.5-2hrs
Lifespan	> 50000hrs
Wavelength	460nm，590nm，630nm，850nm
Irradiance	red 25mw/cm2; blue 6mw/cm2; Yellow 21mw/cm2;
EMF	0uT
Inner packing size	38*30*8cm / 1.1Kg
Outer carton size	50*42*32cm /14.5KG (10pcs/carton)

Quality control



(1) FDA register glue
Safe and eco- friendly gluing



(2) Press to prevent gluing off



(3) 30 minutes aging test



(4) Power bank full charging test



(5) Folding Flexibility Function Test



(6) Alcohol cleaning




(7) Professional packing accessories



(8) color box packing

CONTROLLER



RED LIGHT THERAPY MASK











Multiple Design Pattern



Wearing Steps



Step 1



Step 2




Step 3

SR-M5



Material	Food Grade Silicon
Silicone color	White
Size	15.7 ″ x 8.67 ″ x 1.96″
Net Weight	320g=0.705 lbs
Controller	138g=0.304 lbs
LED Qty	80PCS (4 in 1 LED)
LED Chip	320PCS
Power	5-10w
Waterproof level	IPX5
Rechargeable	Yes
Battery Capacity	3000mAh
Working voltage	DC 5V
Full charge	4-5hrs
Discharge	1.5-2hrs
Lifespan	> 50000hrs
Wavelength	460nm，590nm，630nm，850nm
Irradiance	>50mw/cm2;
EMF	0uT
Inner packing size	29*24*7cm / 0.75Kg
Outer carton size	52*50*32cm / 11.5KG (20pcs/carton)

CONTROLLER



SR-E04



Material	Food Grade Silicon
Silicone color	Black
Size	11.4" x 3.15" x 0.2"
Net Weight	77g=0.17 lbs
Controller	138g=0.13 lbs
LED Qty	240PCS
Power	5-10w
Waterproof level	IPX5
Rechargeable	Yes
Battery Capacity	2000mAh
Working voltage	DC 5V/ 1A
Full charge	4-5hrs
Discharge	1.5-2hrs
Lifespan	> 50000hrs
Wavelength	605nm, 630nm, 850nm
Irradiance	73mw/cm2 @ 0"
EMF	0uT
Inner packing size	33*14*5cm / 0.44Kg
Outer carton size	48*37*32cm / 10.5Kg

CONTROLLER



Multiple use scenarios













SR-L120

Material	SBR
Size	38 x20 x 7cm= 15" x 7.9" x 2.8"
Net Weight	350g=0.77 lbs
Power	63W
Actual Power Draw	21W
Voltage	DC 12V
Wavelengths	660nm 850nm
LED QTY	120PCS
LED CHIP	Triple Chip
Irradiance	>110mw/cm2 @ 0"
Pulse	10hz
LED Lifespan	>50000hrs
Warranty	1 Year
inner Packing	43*34*11cm
Outer packing	53*38*47cm (5pcs/carton)

PRODUCT ACCESSORIES



1.Red Light Therapy Belt
2.Base
3.Spring Stand
4.Screws A
5.Iron Bars
6.Velcro Fastening Strap
7. Screws B
8.Charger
9.Desktop Clamp
10.Red Light Therapy Glasses
11.Short Tube
12. Middle Tube
13. Extension Tube

KNEE LIGHT RED LIGHT THERAPY PAD

















SR-KC04


Material	SBR
Size	60 x30 x 0.5cm= 23.6" x 11.8" x 0.2"
Net Weight	225g=0.5 lbs
Power	48W
Actual Power Draw	9W
Voltage	DC 12V
Wavelengths	660nm 850nm
LED QTY	96PCS
LED CHIP	Triple Chip
Irradiance	>100mw/cm2 @ 0"
Dimmer	3 Level
Timer	20mins
Pulse	10Hz
LED Lifespan	>50000hrs
Warranty	1 Year
inner Packing	30*16.5*6cm (400g)
Outer packing	58*53*34cm (27pcs/carton/12KG)

PRODUCT ACCESSORIES









① knee red light therapy wrap

② Long Velcro Straps

③ USB- Typc C Power Cable

④ User' s Manual

SR-KC07




Material	SBR
Size	40 x10 x 0.5cm= 15.8" x 4" x 0.2"
Net Weight	90g=0.2 lbs
Power	24W
Actual Power Draw	4W
Voltage	DC 12V
Wavelengths	660nm 850nm
LED QTY	48PCS
LED CHIP	Triple Chip
Irradiance	>80mw/cm2 @ 0"
Dimmer	3 Level
Timer	20mins
Pulse	10Hz
LED Lifespan	>50000hrs
Warranty	1 Year
Inner Packing	20*14*4cm (250g)
Outer packing	48*46*39cm (40pcs/carton/11KG)

PRODUCT ACCESSORIES







① knee red light therapy wrap


② USB- Typc C Power Cable

③ User' s Manual

RED LIGHT THERAPY BELT















SR-KC03

Material	SBR+TPU
Size	128 x18 x 0.5cm= 50.4" x 7.08" x 0.2"
Net Weight	367g=0.81 lbs
Power	63W
Actual Power Draw	15W
Voltage	DC 12V
Wavelengths	660nm 850nm
LED QTY	105PCS
LED CHIP	Triple Chip
Irradiance	>100mw/cm2 @ 0"
Dimmer	3 Level
Timer	5-30mins
Pulse	10Hz/40Hz
Vibration	5 Lecel
Charging times	>500 times
Full charge	4-5hrs
Discharge	1.5hrs
Warranty	1 Year
Inner Packing	30*22*6cm (750g)
Outer packing	52*47*34cm (16pcs/carton/13.5KG)

CONTROLLER:5 BRIGHTNESS/2 FREQUENCIES



RED LIGHT THERAPY MAT













SR-KC08

Material	SBR
Size	190 x 80 x 0.6cm= 74.8" x 31.5" x 0.24"
Net Weight	5KG=11.2 lbs
Power	260W
Actual Power Draw	120W
Voltage	DC 24V
Wavelengths	660nm 850nm
LED QTY	1300PCS
LED CHIP	Triple Chip
Irradiance	>100mw/cm2 @ 0"
Dimmer	5 Level
Timer	10-90mins
Pulse	10Hz/40Hz
LED Lifespan	>50000hrs
Warranty	1 Year
Packing	95*32*38cm (7KG)

CONTROLLER: 5 BRIGHTNESS/2 FREQUENCIES



LED display

Frist press: Turn On,ALL
Second press: 10Hz Pulse Mode
Third press: 40Hz Pulse Mode
Fourth press: H(Breathe Mode)
Fifth press: Turn Off

Time setting: 9 time periods
(10/20/30.....70/80/90min)

Mode setting:
(660nm, 850nm, ALL)

Brightness setting:5 levels
(P1/P2/P3/P4/P5)

RED LIGHT THERAPY MAT













SR-KC09



Material	SBR+TPU
Size	200 x 120 x 2cm= 78.7" x 47.3" x 0.78"
Net Weight	12.4KG=27.3 lbs
Power	436W
Actual Power Draw	200W
Voltage	DC 24V
Wavelengths	660nm 850nm
LED QTY	2184PCS
LED CHIP	Dual Chip
Irradiance	>100mw/cm2 @ 0"
Dimmer	5 Level
Timer	10-90mins
Pulse	10Hz/40Hz
LED Lifespan	>50000hrs
Warranty	1 Year
Packing	86*64*15cm (13.5KG)

CONTROLLER: 5 BRIGHTNESS/2 FREQUENCIES



LED display

Frist press: Turn On,ALL
Second press: 10Hz Pulse Mode
Third press: 40Hz Pulse Mode
Fourth press: H(Breathe Mode)
Fifth press: Turn Off

Time setting: 9 time periods
(10/20/30.....70/80/90min)

Mode setting:
(660nm, 850nm, ALL)

Brightness setting:5 levels
(P1/P2/P3/P4/P5)

EZ-THERAPYLIGHT

Your Professional Red Light Devices Partner

Web: www.therapy-light.com

Email: ez@therapy-light.com

Phone: +8615113110489